



HEAT & COOL

DE-SCALING SYSTEM AND FLUID



**Effective, Efficient Removal Of Scale,
Lime, and Rust Deposits**

Portable, Lightweight, and Easy To Install

Maintains Peak Performance and Efficiency

Extends the Useful Life Of Your Equipment

AEC is proud to offer a proven method to remove scale, lime, and rust deposits—the AEC De-Scaling System and Fluid. The De-Scaling System is designed to work with AEC Temperature Control Systems—or any other brand—as well as other water equipment where clogging can reduce efficiency and performance.

The AEC De-Scaling System is portable and easy to operate. The system operates on any 100v outlet and connects easily to your processes with quick-attach hoses. It is designed specifically to circulate AEC De-Scaling Fluid, a tar oil-based liquid with wetting and penetrating agents. It quickly dissolves build-up without danger to equipment, personnel, or the environment.

FEATURES

- A complete system—everything you need to remove any rust, scale, or lime
- Dissolves deposits on the water side of your equipment
- Non-toxic, non-injurious, non-corrosive, non-flammable, and can be disposed of in normal plant sewers
- Will not erode, pit, oxidize, or harm metal or other materials
- De-scaling fluid is USDA-approved
- De-Scaling Fluid—sold separately—is available in 5-, 30-and 55-gallon containers



1100 E Woodfield Road
Schaumburg, IL 60173 USA
Tel. 847-273-7700 Fax 847-273-7804






HEAT & COOL

DE-SCALING SYSTEM AND FLUID

FOR DE-SCALING OF :

- Heat Exchangers
- Piping Systems
- Molds
- Dies
- Tanks
- Pumps
- Rolls
- Water Stills
- Radiators
- Condensers
- Mixing Valves
- Compressors
- Boilers
- Water Heaters



De-Scaling System

Model	Operating Temp.	Motor (HP)	Voltage (1ph, 60 hz)
De-Scaling System	Ambient	1/2	115
Full Load Amperage	Dimensions L x W x H (in.)	Shipping Weight (lb.)	
8.4 amps	22x16x28	115	

De-Scaling Fluid

Size		
5 Gallon	30 Gallon	55 Gallon



1100 E Woodfield Road
Schaumburg, IL 60173 USA
Tel. 847-273-7700 Fax 847-273-7804

